



People.Health.Care.

## Product Catalog Advanced Wound Care

2023/2024



# L&R USA INC.

Your partner in wound care  
and compression therapy.

L&R USA INC. (L&R) is part of a leading global medical device company, which has been delivering high quality healthcare products to healthcare professionals and patients for over 160 years.

The L&R international group is family owned and operates successfully with over 4,600 employees, 44 group companies, and multiple production facilities worldwide, providing an excellent international infrastructure and network for our customers.

People are at the center of our efforts: customers, patients, business partners and employees. We value the dialog with our customers as we are dedicated to providing healthcare professionals product solutions in the treatment of wounds, edema, venous disease, and lymphedema to improve patient care and outcomes.

L&R's comprehensive product portfolio of world-class brands such as Debrisoft®, Suprasorb®, Rosidal®, TributeNight™, and ReadyWrap® are trusted for their effectiveness and quality.

**L&R USA – passionate about delivering innovative wound care and compression solutions.**

For further information, please contact your sales representative, our customer service, or visit our website:

Phone: 855-892-4140, 414-892-4140  
Fax: 414-892-4150  
Email: [inquiries@us.LRmed.com](mailto:inquiries@us.LRmed.com)  
Website: [www.Lohmann-Rauscher.com](http://www.Lohmann-Rauscher.com)



# Contents

## Wound Bed Preparation

Debrisoft® Pad	
Debrisoft® Lolly	4

## Wound Treatment

### Collagen

BIOCOL™	8
BIOPAD™	9

### Alginate

Suprasorb® A	10
Suprasorb® A+Ag	11

### Foam

Suprasorb® P	
Suprasorb® P Border	
Suprasorb® P Sacrum	12
Suprasorb® P Heel <b>NEW</b>	13
Suprasorb® P sensitive Ag	14

### Super Absorptive

Vliwasorb®	16
Vliwasorb® Border	17

### Hydrogel

Suprasorb® G	18
--------------	----

### Carbon

Zorflex®	20
----------	----

### Transparent Film

Suprasorb® F	21
--------------	----

## Compression

Rosidal® TCS	22
ReadyWrap®	23
tg® fix	31
ExoAnklet™	32

## Services

WoundNavi App <b>NEW</b>	35
--------------------------	----

# Debrisoft® Pad Debrisoft® Lolly

for effective wound bed preparation



- A** Monofilament fibers
- B** X-ray detectable thread
- C** Ergonomic handle design


Debrisoft® monofilament products are highly effective and virtually painless<sup>1</sup> wound bed preparation devices that immediately produce visible results<sup>2</sup>. Debrisoft penetrates, disrupts, and detaches biofilm, slough, keratosis and non-viable debris in both acute and chronic wounds<sup>3</sup>, while protecting granulation tissue<sup>1,2</sup>.

## Product composition


The fiber composite material of Debrisoft consists of 100% knitted monofilament polyester fibers. The back layer is made from a polyacrylate that contains no colophony or colophony derivatives, giving added stability. Additionally, Debrisoft Lolly features a blue X-ray detectable polypropylene thread sewn into the head and onto a break-resistant polypropylene handle.



The fiber composite material of Debrisoft consists of 100% **knitted monofilament polyester fibers**.



Beveled fiber tips loosens debris effectively while **protecting newly-formed granulation tissue** and epithelial cells.



Fiber composite **lifts, binds, and removes** slough and debris, including biofilm.



### Indications

Debrisoft® is recommended for cleansing of both acute and chronic wounds, including but not limited to:

- Leg ulcers
- Diabetic ulcers
- Pressure injuries
- Burns, including 3rd degree burns after surgical debridement
- Traumatic and surgical wounds (e.g., abrasions, incisions, lacerations)

Debrisoft is also highly effective for the removal of hyperkeratotic tissue, including lymphedema-associated keratosis, dry skin, and seborrheic plaques.

Debrisoft Lolly is recommended for the cleansing of deep, undermining, and tunneling wounds as well as hard-to-reach areas like in-between toes and skin folds.

### Benefits

- Unlike microfiber gauze, and/or nonwoven pads, Debrisoft fibers penetrate deep through biofilm and slough providing visible results in 2–4 minutes
- Construction provides built in safety and effectively lifts, binds and removes slough and debris, including biofilm
- Protects new granulation tissue and epithelial cells in a virtually painless procedure
- Debrisoft Lolly safely reaches deep into cavities and undermined areas where sharps instruments are not indicated or appropriate
- Debrisoft works with normal saline or your preferred cleanser to dramatically speed up and augment wound bed preparation
- Easy to use

### To note

- For debridement and wound bed preparation only — it must NOT be left on or in the wound.
- Can be used each time the wound dressing is changed, as required.
- Debrisoft should be used until the wound is thoroughly cleansed and has progressed to the granulation phase.
- Before using, moisten the soft, fleecy head with saline solution. Please always refer to local guidelines.
- Do not cut or wring.

### Recommended combinations

- Wound dressings: Suprasorb, Vliwasorb
- If compression is needed e.g., venous leg ulcers: Rosidal TCS, ReadyWrap

## Debrisoft®

sterile, individually-sealed

Size	REF	Shipping Units (per box/case)
<b>Pad</b>		
10 x 10 cm (4 x 4 in.)	31222	5/50
13 x 20 cm (5 x 8 in.)	34323	5/50
<b>Lolly</b>		
5 x 1.9 cm* (2 x 0.76 in.)	33224	5/50

\* Core width of the fiber head of Debrisoft® Lolly only

# Debrisoft®

See the difference through clinical outcomes.




See the Debrisoft Difference through clinical outcomes

**Venous leg ulcer w/hyperkeratotic scales in the periwound area<sup>10</sup>**



**Wound clinic:** Venous insufficiency ulcer with residue and hyperkeratotic scales in periwound area. Debrisoft® was first used to cleanse and de-scale periwound area before addressing the wound.

**Venous leg ulcer w/hyperkeratotic scales in the periwound area<sup>10</sup>**



**Wound clinic:** Venous ulcer from before. Result after 2-3 minutes debridement with another Debrisoft to remove loose debris<sup>9</sup>.

**Pressure injury<sup>10</sup>**



**Long-term care:** Very painful wound. Debrisoft used for 2 minutes with no complaints of pain<sup>3</sup>.

**Mixed leg ulcer<sup>11</sup>**




Debrisoft was first used to remove the dense fibrinous membrane from the outer wound bed. Next sharp debridement was used to remove the eschar in the center of the wound bed. Finally, Debrisoft was again utilized to remove the remaining necrotic remnants<sup>10</sup>.

# Debrisoft®


Powerful tools to facilitate wound assessment and wound bed preparation.

**Necrotic/Eschar**




Debrisoft quickly removes debris and slough to reveal the wound surface for assessment.

**Infected**



Use Debrisoft as part of your wound Hygiene protocol to remove biofilm and antimicrobials as necessary to address infection.

**Biofilm/Bioburden**




Removes 90–99% of slough, biofilm, and bacterial contamination.

**Slough**




Removes wound debris softened through Enzymatic or autolytic debridement.

**Pain Sensitivity**




97% of patients report no pain with Debrisoft reducing anxiety and improving compliance.

**Granulating**




Soft flexible fibers cleans the wound but leave granulation and epithelium undisturbed

**Hyperkeratosis**



Quickly removes Keratosis to visibly improve appearance and remove barriers to topical treatments.

**Trauma**



Quickly removes debris and contamination from acute/traumatic wounds.

**Burns/Road rash**



Debrisoft is indicated for the cleansing of 1st and 2nd degree burns and 3rd degree burns post surgical intervention.

# BIOCOL™

## Collagen Powder



### Indications

BIOCOL™ is a bovine collagen powder in an advanced accordion dispenser to deliver collagen precisely where you need it to promote a moist wound healing environment.

- Chronic and acute wounds
- Full and Partial-thickness wounds, including:
  - ◆ Diabetic ulcers
  - ◆ Venous stasis ulcers
  - ◆ Pressure ulcers
  - ◆ Traumatic and surgical wounds healing by secondary intention
  - ◆ Donor sites
  - ◆ 1<sup>st</sup> and 2<sup>nd</sup> degree burns

### Benefits

- Advanced accordion dispenser delivers collagen exactly where required
- BIOCOL is 100% hydrolyzed collagen prepared from TYPE I collagen
- Supplies nutritive proteins and amino acids directly to the wound site
- Easily reaches deep into tunneling or undermined wounds

### Recommended combinations

- Wound bed preparation: Debrisoft
- Secondary wound dressings: Vliwasorb, Vliwasorb Border, Suprasorb P, Suprasorb P Border, Suprasorb P sensitive Ag

## BIOCOL™

in precision applicator, sterile

Contents	REF	HCPCS Code	Shipping Units (per box/case)
1 g	154892	A6010	15/120
5 g	154893	A6010	15/120

# BIOPAD™

## Collagen Dressing



100% pure collagen.  
No fillers.

Native collagen structure.

Highest collagen content —  
Up to 5x more collagen  
than other dressings.

### Indications

BIOPAD™ is a primary dressing composed of 100% native equine Type I collagen for the management of hard-to-heal wounds, including:

- Partial- and full-thickness wounds
- Pressure ulcers
- Venous stasis ulcer
- Diabetic ulcers
- Donor sites and other bleeding surfaces
- Dehisced surgical incisions
- Draining wounds
- Lacerations
- Podiatric wounds
- Surgical and traumatic wounds
- Post-laser surgery

### Benefits

- Type I collagen of equine origin keeps its native structure.<sup>12</sup>
- Protects the wound bed from the outer environment, constituting a barrier against exogenous infective agents.
- Stimulates the formation of new granulation tissue, the proliferation of fibroblasts, and the deposition of new collagen fibers.<sup>12,13</sup>

- Absorbs wound exudate and can control minor bleeding.

### Recommended combinations

- Suprasorb A, Suprasorb P, Vliwasorb


## BIOPAD™ Collagen dressing

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
5 x 5 cm (2 x 2 in.)	153355	A6021	3/168
10 x 10 cm (4 x 4 in.)	153356	A6021	1/34

# Suprasorb® A

## Calcium Alginate Dressing



- A** The wound dressing easily conforms to the wound surface
- B** Gel formation through ion exchange

### Indications

- For the management of acute and chronic wounds:
  - ◆ Moderate to heavily exuding
  - ◆ Superficial or deep
 Such as:
  - ◆ Pressure injuries
  - ◆ Venous leg ulcers
  - ◆ Diabetic foot ulcers
  - ◆ Skin donor sites
  - ◆ Second degree burns
  - ◆ Post-operative wounds

### Benefits

- Rapid formation of gel providing a moist wound environment to promote wound healing
- Absorbs large quantities of exudate
- High comfort due to soft structure and easy packing
- Conforms to the wound bed
- Easily removed

### Recommended combinations

- Wound bed preparation: Debrisoft
- Secondary wound dressings for heavily exuding wounds: Vliwasorb, Vliwasorb Border, Suprasorb P, Suprasorb P Border
- Secondary dressing: Suprasorb F
- If compression is needed: Rosidal TCS, ReadyWrap


## Suprasorb® A Calcium Alginate Dressing

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
<b>Dressing</b>			
5 x 5 cm (2 x 2 in.)	20440	A6196	10/100
10 x 10 cm (4 x 4 in.)	20441	A6196	10/100
10 x 12.5 cm (4 x 5 in.)	30990	A6197	10/60
10 x 20 cm (4 x 8 in.)	20442	A6197	10/100
<b>Rope</b>			
30 cm / 2g (12 in.)	20445	A6199	5/50

# Suprasorb® A+Ag

## Calcium Alginate Dressing with Antimicrobial Silver



- A** Silver ions protect from broad spectrum of bacterial contamination
- B** Excess exudate from the wound is absorbed into the dressing

### Indications

- For the management of wounds which are:
  - ◆ Moderate to heavily exuding
  - ◆ Superficial or deep
  - ◆ At risk of infection
  - ◆ Infected
- Such as:
  - ◆ Pressure injuries
  - ◆ Venous leg ulcers
  - ◆ Diabetic foot ulcers
  - ◆ Skin donor sites
  - ◆ Second degree burns
  - ◆ Post-operative wounds

### Benefits

- Broad antibacterial effect, including MRSA and VRE
- Rapid formation of gel providing a moist wound environment to promote wound healing
- Absorbs large quantities of exudate
- High comfort due to soft structure and

- easy packing
- Conforms to the wound bed
- Easily removed

### Recommended combinations


- Wound bed preparation: Debrisoft
- Secondary wound dressings for heavily exuding wounds: Vliwasorb, Vliwasorb Border, Suprasorb P, Suprasorb P Border
- Secondary dressing: Suprasorb F
- If compression is needed: Rosidal TCS, ReadyWrap

## Suprasorb® A+Ag Calcium Alginate Dressing with Antimicrobial Silver

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
<b>Dressing</b>			
5 x 5 cm (2 x 2 in.)	32755	A6196	10/90
10 x 10 cm (4 x 4 in.)	32756	A6196	10/60
10 x 12.5 cm (4 x 5 in.)	32757	A6197	10/60
10 x 20 cm (4 x 8 in.)	32758	A6197	5/30
<b>Rope</b>			
30 cm / 2g (12 in.)	32759	A6199	5/15

# Suprasorb® P Suprasorb® P Border Suprasorb® P Sacrum Foam Dressing



- A** Quick absorption of exudate
- B** Good contact with wound bed
- C** Bacteria and water repellent
- D** High moisture vapor transmission

## Indications

Suprasorb® P is recommended for wounds with moderate to high levels of exudate. It is suitable for superficial wounds and for deep wounds when combined with an appropriate wound filler:

- Venous or arterial leg ulcers
- Pressure ulcers
- Diabetic ulcers
- First and second degree burns

## Benefits

- Comfortable to wear, easy to use.
- The perforated wound contact layer does not adhere to the wound base.
- Due to its exudate management capacity, Suprasorb P can reduce the number of dressing changes and lead to longer periods of undisturbed wound healing.

## Product Composition

- Suprasorb P is composed of a polyurethane base layer, a polyurethane foam layer, and a perforated wound contact layer. The Suprasorb P Border and the Suprasorb P sacrum have a polyacrylate adhesive border.

## To note

- For deep wounds, combine with an appropriate wound filler, e.g., Suprasorb A rope or Suprasorb A+Ag rope
- Suprasorb P can stay on the wound up to 7 days.

## Recommended combinations

- Wound bed preparation: Debrisoft
- In combination with Suprasorb A, Suprasorb A+Ag, Suprasorb G for heavily exuding wounds.
- Compression: Residal TCS, ReadyWrap

## Suprasorb® P Foam Dressing

Size	REF	HCPCS Code	Shipping Units (per box/case)
<b>Suprasorb P (sterile, individually-sealed)</b>			
5 x 5 cm (2 x 2 in.)	20405	A6209	10/100
7.5 x 7.5 cm (3 x 3 in.)	20406	A6209	10/100
10 x 10 cm (4 x 4 in.)	20407	A6209	10/100
15 x 15 cm (6 x 6 in.)	20408	A6210	5/50
15 x 20 cm (6 x 8 in.)	20409	A6210	5/50
<b>Suprasorb P Border (sterile, individually-sealed)</b>			
7.5 x 7.5 cm (3 x 3 in.)	20416	A6212	10/100
10 x 10 cm (4 x 4 in.)	20417	A6212	10/100
15 x 15 cm (6 x 6 in.)	20418	A6212	5/50
15 x 20 cm (6 x 8 in.)	20419	A6213	5/50
<b>Suprasorb P Sacrum (sterile, individually-sealed)</b>			
18 x 20.5 cm (7.2 x 8.1 in.)	20415	A6213	5/50

# Suprasorb® P Heel **NEW**

## Foam Dressing



### Indications

Suprasorb® P Heel is indicated for the management of moderate- to highly-exuding acute or chronic wounds, including:

- Pressure ulcers
- Diabetic foot ulcers
- Abrasions
- Surgical wounds
- And for the protection of heel/elbow and intact eschar from pressure, friction, and shear

### Benefits

- Specialty shape is easy to use and comfortable to wear
- Perforated wound contact layer will not adhere to the wound base
- High absorption and retention capacity extends wear time for undisturbed healing
- Redistributes pressure from injured areas.

### Product Composition

- Suprasorb P Heel incorporates 3 layers: a polyurethane base layer, a polyurethane foam layer, perforated wound contact layer.

### To note

- Secure in place with bandage or secondary dressing.
- Suprasorb P Heel can stay on the wound up to 7 days.

### Recommended combinations

- Wound bed preparation: Debrisoft
- Heavily-exuding wounds: Suprasorb A+Ag
- Compression: ReadyWrap, Rosidal TCS

## Suprasorb® P Heel Foam Dressing

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
13 x 10 cm (5 x 4 in.)	180040	A6210	5/120

# Suprasorb® P sensitive Ag

## Absorbent Foam Dressing with Antibacterial Silver



The silver lining  
for sensitive wounds.

### Controls

Improves healing rates by  
controlling bioburden.<sup>5</sup>




### Reduces

Ionic silver reduces bacterial  
colonization in the dressing.<sup>6</sup>



### Stabilizes

Antibacterial effect remains  
active up to 7 days.<sup>6</sup>



### Indications

Suprasorb P sensitive Ag dressings are indicated for the management of moderate- to highly-exuding<sup>4</sup> acute or chronic wounds<sup>8</sup>, including:

- Venous leg ulcers
- Diabetic foot ulcers
- Pressure injuries
- Dehisced surgical wounds
- Graft donor and recipient sites
- Skin tears and abrasions

### Benefits

- Ionic Silver extends wear time by reducing bacterial (biofilm) colonization<sup>5</sup>
- Prevents biofilm colonization for up to 7 days<sup>6</sup>
- Waterproof and bacteria-proof while allowing water vapor to escape<sup>6</sup>
- Protective backing provides low coefficient of friction surface<sup>6</sup>
- Can be worn in the shower<sup>6</sup>
- Gentle yet secure silicone adhesive technology minimizes patient pain and trauma to the wound and skin during dressing changes<sup>4,7</sup>
- Ionic silver Improves healing rates by controlling bioburden.<sup>5</sup>

**Product Composition**

- Suprasorb P is composed of a polyurethane base layer, a polyurethane foam layer, and a perforated wound contact layer. The Suprasorb P Border and the Suprasorb P sacrum have a polyacrylate adhesive border.

**To note**

- Suprasorb P sensitive Ag can stay on the wound up to 7 days.

**Recommended combinations**

- Wound bed preparation: Debrisoft
- Secondary wound dressings for heavily exuding wounds: Vliwasorb, Vliwasorb Border, Zorflex
- If compression is needed: Rosidal TCS, ReadyWrap

### Suprasorb® P sensitive Ag border foam dressing with antibacterial silver and adhesive border

sterile, individually-sealed

Dressing Size	Pad Size	REF	HCPCS Code	Shipping Units (per box/case)
7.5 x 7.5 cm (3 x 3 in.)	4.5 x 4.5 cm (1.8 x 1.8 in.)	180010	A6212	10/200
10 x 10 cm (4 x 4 in.)	6.2 x 6.2 cm (2.5 x 2.5 in.)	180011	A6212	10/200
12.5 x 12.5 cm (5 x 5 in.)	8.5 x 8.5 cm (3.4 x 3.4 in.)	180012	A6212	10/200
20 x 20 cm (8 x 8 in.)	15 x 15 cm (6 x 6 in.)	180014	A6213	10/200

### Suprasorb® P sensitive Ag non-border foam dressing with antibacterial silver

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
5 x 5 cm (2 x 2 in.)	180015	A6209	10/200
10 x 10 cm (4 x 4 in.)	180016	A6209	10/200
10 x 12.5 cm (4 x 5 in.)	180017	A6210	10/200
15 x 15 cm (6 x 6 in.)	180018	A6210	10/200
20 x 20 cm (8 x 8 in.)	180019	A6211	10/200

# Vliwasorb® Super Absorbent Wound Dressing



- A** Blue outer layer prevents strike-through, extending wear time and protecting bandages, clothing, and bedding
- B** Super absorbent core forms a moist, conformable gel, maintaining the optimal moisture level for wound healing
- C** Distribution layer evenly distributes exudate over the absorbent core
- D** Wound contact layer prevents adherence to fragile wound tissue

## Indications

Vliwasorb is indicated for the management of acute and chronic wounds with moderate to high levels of exudate, including:

- Venous leg ulcers
- Diabetic foot ulcers
- Pressure injuries
- Postoperative wounds healing by secondary intention

## Benefits

- High fluid absorption and binding capacity allow longer wear times for fewer dressing changes, saving time and money. Additionally, disturbances to the wound bed are minimized.
- Binds exudate, bacteria, and cellular debris to support wound healing.
- The comfortable choice under compression due to high absorption and binding capacity, conformability, and extensibility.

- Thin, flat, and flexible, the dressing conforms to body contours and surfaces to maximize patient comfort.

## Product composition

The absorbent pad consists of a super absorbent fiber core, cellulose, and a wound contact layer made of a perforated polyethylene film. The blue, non-woven backing layer prevents fluid and microbial strike through

## To note

- Do not cut

## Recommended combinations

- Wound bed preparation: Debrisoft
- Primary wound dressing for heavily exuding, deep wounds: Suprasorb A or Suprasorb A+Ag Rope
- Fixation: Suprasorb F
- Compression: Rosidal TCS, ReadyWrap

## Vliwasorb® Super Absorbent Wound Dressing

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
10 x 10 cm (4 x 4 in.)	24501	A6196	10/360
10 x 20 cm (4 x 8 in.)	24502	A6197	10/340
20 x 20 cm (8 x 8 in.)	24503	A6198	10/300
20 x 30 cm (8 x 12 in.)	26904	A6198	10/180

# Vliwasorb® Border

## Super Absorbent Wound Dressing



- A** A skin-friendly, adhesive layer with bidirectional stretch allows expansion of the super absorbent fiber core to fit the wound
- B** Bacteria- and waterproof
- C** High capacity, super absorbent core
- D** Reduces microbial burden by binding bacteria within the dressing
- E** Conformable contact layer will not stick to the wound

### Indications

Vliwasorb® Border is indicated for the management of acute chronic wounds with moderate to high levels of exudate, including:

- Moderate to heavily exuding wounds
- Chronic or acute wounds in the exudation phase, e.g.:
  - ◆ Venous leg ulcers
  - ◆ Diabetic foot ulcers
  - ◆ Pressure injuries
  - ◆ Postoperative wounds healing by secondary intention

### Benefits

- Rapid application thanks to the adhesive film.
- The established benefits of the Vliwasorb super absorbent wound dressing are combined with the advantage of easy fixation. The bidirectional stretch film with skin friendly adhesive moves with the skin and stays in place. The outer layer barrier is impervious to water and bacteria and wipes clean if soiled.

- Versatility in an adhesive dressing:
  - ◆ rapid application, easy fixation and high fluid absorption capacity
  - ◆ comfortable, conformable, and secure
  - ◆ the right choice under compression
  - ◆ skin-friendly adhesive
  - ◆ requires no secondary dressings

### Product composition

The absorbent pad consists of a super absorbent fiber core, cellulose, and a wound contact layer made of a perforated polyethylene film. The backing layer consists of polyurethane membrane with skin-friendly polyacrylate adhesive (free of colophony and colophony derivate).

### To note

- Do not cut

### Recommended combinations

- Wound bed preparation: Debrisoft
- Primary wound dressing for heavily exuding, deep wounds: Suprasorb A or Suprasorb A+Ag Rope


## Vliwasorb® Border Super Absorbent Wound Dressing

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
12 x 12 cm (5 x 5 in.)	30991	A6196	10/260
15 x 15 cm (6 x 6 in.)	30992	A6196	10/330
15 x 20 cm (6 x 8 in.)	136997	A6197	10/140
15 x 25 cm (6 x 10 in.)	30993	A6198	10/110

# Suprasorb® G

## Smart Dressing



- A** Outer film layer is impermeable to bacteria
- B** Absorbs exudate, wound debris, MMPs, and cytokines into the dynamic matrix
- C** Donates moisture to rehydrate dry areas, support moist wound healing, and support autolytic debridement

### Indications

Suprasorb® G is indicated for the management of, dry to moderately exuding chronic and acute wounds, including but not limited to:

- Painful wounds
- Venous leg ulcers, including under compression
- Diabetic foot ulcers
- Arterial ulcers
- Moderate burns including radiotherapy burns
- Skin tears
- Malignant wounds and palliative care
- Extravasation injury

### Benefits

- Initial cooling and ongoing soothing properties to reduce wound pain.
- Dynamically adapts to the wound environment by donating moisture and absorbing exudate, reducing the risk of maceration.
- Promotes gentle autolytic debridement by hydrating necrotic and sloughy tissue while preserving surrounding tissue.

- Effective under compression therapy.
- Bacteriostatic features, preventing microbial colonization and reducing malodor.

### Product composition

Suprasorb G is an ionic hydrogel consisting of water and acrylic polymers, supported by a polyethylene matrix for increased absorption properties. It satisfies changing hydration needs of the wound by donating moisture to a dry wound and absorbing exudate from a wet wound. This dynamic response reflects the ability of Suprasorb G to change its donation and absorption properties and maintain an optimal level of moisture at the wound dressing interface, making it different from other dressings.

- ◆ Suprasorb G does not contain propylene glycol.

**To Note**

- When using Suprasorb G in combination with a secondary dressing for higher exuding wounds, remove the top film layer so the excess exudate can be absorbed by the secondary dressing.
- When using Suprasorb G with only fixation, leave the transparent carrier film on to prevent the dressing from drying out.
- Suprasorb G clings to the wound for easier application of secondary dressing or bandage (third-hand effect).
- The dressing may remain in place up to seven (7) days.
- The dressing can be cut.
- Should the dressing dry out, rehydrate with saline solution prior to removal.
- Use on contaminated or infected wounds following established procedures and under supervision of qualified medical personnel.

**Recommended combinations**

- Wound bed preparation: Debrisoft
- Fixation: Suprasorb F
- Combine with absorbent secondary dressings for higher exuding wounds: Suprasorb P or Suprasorb P Border
- Compression: Rosidal TCS, ReadyWrap

**Contraindications**

- Do not use for deep, narrow cavities or sinuses.
- Do not use for third degree burns.
- Do not use for heavily bleeding wounds.


**Suprasorb® G Smart Dressing**

sterile, individually-sealed

Size	REF	HCPSC Code	Shipping Units (per box/case)
5 x 6.5 cm (2 x 2.5 in.)	33630	A6242	5/400
10 x 10 cm (4 x 4 in.)	33631	A6242	5/150
20 x 20 cm (8 x 8 in.)	33632	A6244	3/60

# Zorflex® Activated Carbon Cloth Wound Dressing

Carbon



- A** 100% pure activated carbon cloth, derived from a natural source
- B** Maintains direct wound contact to protect the wound bed
- C** Removes and sequesters odor-causing biomolecules

## Indications

Zorflex® activated carbon wound dressing is indicated as a contact layer for use in the management of acute and chronic wounds, including:

- Venous leg ulcers
- Diabetic foot ulcers
- Pressure sores
- Surgical wounds
- Trauma wounds
- Graft donor and recipient sites
- Fungating carcinomas

## Benefits

- Removes and sequesters odor-causing biomolecules
- Non-cytotoxic and safe to use
- Can be left on the wound for up to 7 days between changes
- Pain-free in application and use
- Easy to use with no special procedures or techniques required

## Recommended combinations

- Suprasorb A, Vliwasorb, Suprasorb P, Suprasorb G

## Zorflex® Activated Carbon Cloth Wound Dressing

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
10 x 10 cm (4 x 4 in.)	140535	A6206	10/100
10 x 20 cm (4 x 8 in.)	140536	A6207	10/100
15 x 25 cm (6 x 10 in.)	140537	A6208	10/50

# Suprasorb® F

## Film Wound Dressing



### Indications

Suprasorb F is indicated for the management of lightly-exuding superficial wounds, such as:

- Venous ulcers
  - Post surgical wounds
  - Pressure sores
  - Donor sites
  - Abrasions
  - Superficial burns
- It is also suitable as a secondary dressing to secure and protect primary dressings and for IV and catheter securement.

### Benefits

- Flexible and conformable for comfort
- Easy application and secure fixation
- Can be worn even when showering
- Transparency encourages wound inspection
- Helps reduce friction and shear injury

### Recommended combinations

- Wound bed preparation: Debrisoft
- Primary dressing: Suprasorb A, Vliwasorb, Suprasorb P, Suprasorb G

## Suprasorb® F Film Wound Dressing

sterile, individually-sealed

Size	REF	HCPCS Code	Shipping Units (per box/case)
5 x 7 cm (2 x 2.75 in.)	20460	A6257	10/380
5 x 7 cm (2 x 2.75 in.)	20461	A6257	100/1000
10 x 12 cm (4 x 4.75 in.)	20462	A6258	10/100
10 x 12 cm (4 x 4.75 in.)	20463	A6258	50/200
10 x 25 cm (4 x 10 in.)	20464	A6258	10/140
15 x 20 cm (6 x 8 in.)	20465	A6258	10/400
20 x 30 cm (8 x 12 in.)	20466	A6259	10/180

# Rosidal® TCS

## Two-Component Compression System



### Indications

Rosidal TCS is indicated for use in the management of venous leg ulcers, edema, and concomitant conditions with an ABPI above 0.8 or with an ABPI of 0.5–0.8, under medical supervision.

### Benefits

- The two components of Rosidal TCS work together to deliver effective levels of working compression and low levels of resting compression with comfort and safety built in.
  - ◆ Secure and easy application
  - ◆ Rosidal SC: The first bandage combines padding and skin protection and distributes pressure evenly
  - ◆ Rosidal CC: The second cohesive bandage is applied at full stretch, making it easy to get the right compression every time.

### Product composition

The system is made of two components:

- First layer, Rosidal SC soft compression bandage. Combines polyurethane foam with a 60% polyamide and 40% cotton woven textile for superior comfort.
- Second layer, Rosidal CC cohesive compression bandage. 51% cotton, 39% polyamide, 10% polyurethane, with a hypo-allergenic synthetic cohesive microcoating for comfortable, secure fixation.

### Recommended combinations


- Wound bed preparation: Debrisoft
- Wound dressing:
  - ◆ Heavily exuding wounds: Suprasorb A as primary dressing, Vliwasorb or Vliwasorb Border as secondary dressing.
  - ◆ Moderately exuding wounds: Vliwasorb as primary dressing

## Rosidal® TCS

Contents	Size	REF	HPCPS Code	Shipping Units (per box/case)
Rosidal® SC compression bandage, soft	10 x 3.5 m (4" x 3.8 yd.)	26484	A6441	1/14
Rosidal® CC cohesive compression bandage	10 x 6 m (4" x 6.6 yd.)		A6452	

# ReadyWrap®

## Adjustable Compression Wrap



- A** Curved design contours the shape of the limb to provide comfortable support
- B** 50% overlapping straps provides full coverage of the calf to help prevent gapping<sup>9</sup>
- C** Blocked spine helps maintain garment form to support all day wear<sup>9</sup>
- D** Color-coded strapping system makes donning easy to help maximize patient compliance

### Intended uses

- Venous ulcers
- Venous insufficiency
- Lymphedema
- Edema
- Leg fatigue and/or tiredness

### Benefits

- 50% overlapping straps help prevent gapping.
- Easy for patients to use because of its color-coded VELCRO® brand fasteners.
- Comfortable and easy to don for increased patient compliance.
- Blocked spine reduces stretch and improves structural support.
- Complimentary ReadyWrap Liner included.
- Color options available: Black, Beige.
- Optional accessory (sold separately):
  - ◆ ReadyWrap Extender Strap provides an additional 10 cm length to an individual strap.

### Product warranty


- ReadyWrap® garments are guaranteed to be free of material and manufacturing defects during the recommended six month life of the garment.

### Product composition

- ReadyWrap Calf, Foot, Foot CT, and Extender Strap: nylon (polyamide), polyurethane, spandex (elastane)
- ReadyWrap Foot SL: nylon (polyamide), polyester, polyurethane, spandex (elastane)
- ReadyWrap Liners: polyester, nylon (polyamide), spandex (elastane)
- ReadyWrap Fusion Liners: nylon (polyamide), spandex (elastane)
- Not made with natural rubber latex

### Contraindications

- Arterial insufficiency or ABPI < 0.8
- Moderate to severe peripheral arterial disease
- Acute DVT
- Untreated congestive heart failure
- Untreated cancer
- Untreated infection (i.e., cellulitis)
- Allergies or sensitivities to materials
- Severe cognitive impairment




## ReadyWrap® Calf

sold individually, includes single ReadyWrap Liner

Size	Circumference		Length (BD <sup>l</sup> )	Color	REF	HCPCS Code
	Ankle (B <sup>c</sup> )	Calf (C <sup>c</sup> )				
Small	18–23	28–38	up to 30	Beige	304450	A6545 <sup>†</sup>
				Black	304451	
			up to 35	Beige	304452	
				Black	304453	
Medium	20–28	33–43	up to 30	Beige	304446	A6545 <sup>†</sup>
				Black	304447	
			up to 35	Beige	304448	
				Black	304449	
Large	25–33	38–48	up to 30	Beige	104442	A6545 <sup>†</sup>
				Black	104443	
			up to 35	Beige	104444	
				Black	104445	
X-Large	30–38	43–58	up to 30	Beige	104454	A6545 <sup>†</sup>
				Black	104455	
			up to 35	Beige	104456	
				Black	104457	
XX-Large	35–43	53–68	up to 30	Beige	104784	A6545 <sup>†</sup>
				Black	104785	
			up to 35	Beige	104786	
				Black	104787	

<sup>†</sup> For presence of open wound. Refer to LCD requirement for more information.



## ReadyWrap® Fusion Kit

kit includes ReadyWrap Calf garment and single ReadyWrap Fusion Liner

Size	Circumference			Length		Color	REF	HCPCS Code
	Foot (A <sup>1c</sup> )	Ankle (B <sup>c</sup> )	Calf (C <sup>c</sup> )	Foot (AY <sup>l</sup> )	Calf (BD <sup>l</sup> )			
Small	21–24	18–23	28–38	< 25	up to 30	Beige	154894	A6545 <sup>†</sup>
						Black	154895	
				≥ 25	up to 35	Beige	154904	
						Black	154905	
Medium	25–28	20–28	33–43	< 25	up to 30	Beige	154896	A6545 <sup>†</sup>
						Black	154897	
				≥ 25	up to 35	Beige	154906	
						Black	154907	
Large	29–32	25–33	38–48	< 25	up to 30	Beige	154898	A6545 <sup>†</sup>
						Black	154899	
				≥ 25	up to 35	Beige	154908	
						Black	154909	
X-Large	33–36	30–38	43–58	< 25	up to 30	Beige	154900	A6545 <sup>†</sup>
						Black	154901	
				≥ 25	up to 35	Beige	154910	
						Black	154911	
XX-Large	37–40	35–43	53–68	< 25	up to 30	Beige	154902	A6545 <sup>†</sup>
						Black	154903	
				≥ 25	up to 35	Beige	154912	
						Black	154913	

<sup>†</sup> For presence of open wound. Refer to LCD requirement for more information.




## ReadyWrap Foot CT NEW

sold individually, includes single ReadyWrap Liner


Size	Cicumference			Length AY <sup>L</sup>	Orientation	Color	REF
	A <sup>c</sup>	A <sup>1c</sup>	B <sup>c</sup>				
Small	18–20.4	20–25	18–23	16–19	Left	Beige	141726
						Black	141728
					Right	Beige	141727
						Black	141729
				19–22	Left	Beige	141746
						Black	141748
Right	Beige	141747					
Black	141749						
Medium	20.5–23.5	24–29	20–28	16–19	Left	Beige	141730
						Black	141732
					Right	Beige	141731
						Black	141733
				19–22	Left	Beige	141750
						Black	141752
Right	Beige	141751					
Black	141753						
Large	23.6–26	28–33	25–33	16–19	Left	Beige	141734
						Black	141736
					Right	Beige	141735
						Black	141737
				19–22	Left	Beige	141754
						Black	141756
Right	Beige	141755					
Black	141757						

## ReadyWrap Foot CT NEW

sold individually, includes single ReadyWrap Liner




Size	Circumference			Length AY <sup>L</sup>	Orientation	Color	REF
	A <sup>C</sup>	A <sup>1C</sup>	B <sup>C</sup>				
X-Large	26.1–28.5	32–37	30–38	16–19	Left	Beige	141738
					Black	141740	
				Right	Beige	141739	
					Black	141741	
				19–22	Left	Beige	141758
					Black	141760	
Right	Beige	141759					
Black	141761						
XX-Large	28.6–31	36–41	35–43	16–19	Left	Beige	141742
					Black	141744	
				Right	Beige	141743	
					Black	141745	
				19–22	Left	Beige	141762
					Black	141764	
Right	Beige	141763					
Black	141765						



## ReadyWrap® Foot SL

sold individually, includes single ReadyWrap Liner

Size	Circumference		Length AY <sup>L</sup>	Orientation	Color	REF
	A <sup>1C</sup>	B <sup>C</sup>				
Small	21–24	18–23	16–19	Left	Beige	144424
					Black	144426
				Right	Beige	144425
					Black	144427
			19–22	Left	Beige	144428
					Black	144430
Right	Beige	144429				
	Black	144431				
Medium	25–28	20–28	16–19	Left	Beige	144432
					Black	144434
				Right	Beige	144433
					Black	144435
			19–22	Left	Beige	144436
					Black	144438
Right	Beige	144437				
	Black	144439				
Large	29–32	25–33	16–19	Left	Beige	144440
					Black	144442
				Right	Beige	144441
					Black	144443
			19–22	Left	Beige	144444
					Black	144446
Right	Beige	144445				
	Black	144447				
X-Large	33–36	30–38	16–19	Left	Beige	144448
					Black	144450
				Right	Beige	144449
					Black	144451
			19–22	Left	Beige	144452
					Black	144454
Right	Beige	144453				
	Black	144455				



## ReadyWrap® Foot

sold individually, includes single ReadyWrap Liner


Size	Circumference		Length AY <sup>L</sup>	Orientation	Color	REF
	YC	BC				
Small	28–33	18–23	up to 21	Left	Beige	304428
					Black	304429
				Right	Beige	304436
					Black	304437
Medium	30–38	20–28	up to 23	Left	Beige	304426
					Black	304427
				Right	Beige	304434
					Black	304435
Large	35–43	25–33	up to 26	Left	Beige	104424
					Black	104425
				Right	Beige	104432
					Black	104433
X-Large	40–48	30–38	up to 29	Left	Beige	104430
					Black	104431
				Right	Beige	104438
					Black	104439

### Additional garment styles available

Please contact our customer service team at 855-892-4140 for additional garment styles.

All measurements in centimeters (cm).

# ReadyWrap® Accessories



## ReadyWrap® Liners

sold in pairs, Black only

Size	Circumference		REF	
	B <sup>c</sup>	C <sup>c</sup>		
<b>Below Knee</b>				
S-L	18-33	28-48	149032	
XL-XXL	30-43	43-68	149033	
<b>Thigh High</b>				
	B <sup>c</sup>	C <sup>c</sup>	G <sup>c</sup>	REF
S-L	18-33	28-48	48-83	
XL-XXL	30-43	43-68	78-103	149035


## ReadyWrap® Extender Strap

sold individually

Size	Length	Color	REF
One size	10 cm	Beige	304398
		Black	304399

# ReadyWrap®

## Accessories, continued



### ReadyWrap® Fusion Liners

Below Knee liner with focused 8–15 mmHg in foot and ankle, sold in pairs, Black only

Size	Circumference			Length		REF
	Foot (A <sup>1C</sup> )	Ankle (B <sup>2C</sup> )	Calf (C <sup>3C</sup> )	Foot (AY <sup>L</sup> )	Calf (YD <sup>L</sup> )	
Small	21–24	18–23	28–38	< 25	< 40	153523
				≥ 25	≥ 40	153528
Medium	25–28	20–28	33–43	< 25	< 40	153524
				≥ 25	≥ 40	153529
Large	29–32	25–33	38–48	< 25	< 40	153525
				≥ 25	≥ 40	153530
X-Large	33–36	30–38	43–58	< 25	< 40	153526
				≥ 25	≥ 40	153531
XX-Large	37–40	35–43	53–68	< 25	< 40	153527
				≥ 25	≥ 40	153532

# tg<sup>®</sup> fix Tubular Net Bandage



### Field of Application

Retention of all types of wound dressings

### Product composition

71% polyamide,  
29% elastodiene (natural rubber latex)

### Features/Benefits

- Wide-mesh, highly elastic in both directions tubular net
- Fast and easy dressing inspection
- Material is ladderproof; it can be cut open at any point without the cut tearing
- Conformability can be further increased by placing incisions in the right places without incurring the risk of fraying
- Excellent conformability around body contours
- Soft, comfortable and does not restrict movement
- Washable (up to 60°C/140°F) and reusable

## tg<sup>®</sup> fix tubular net bandage

Size	Width Unstretched	Width Stretched	REF	Shipping Units (per box/case)
<b>2.5 m (2.7 yd.) stretched length, individually packed in a cardboard box</b>				
A for finger	1.4 cm (0.5 in.)	17.5 cm (6.9 in.)	24250	1/66
B for small extremities	2.7 cm (1.0 in.)	40 cm (15.7 in.)	24251	1/20
C for large extremities	4.2 cm (1.7 in.)	65 cm (25.6 in.)	24252	1/16
D for large head, small trunk	7.0 cm (3.0 in.)	105 cm (41.3 in.)	24253	1/16
E for large trunk, hip, armpit	9.1 cm (3.6 in.)	140 cm (55.1 in.)	24254	1/12

# ExoAnklet™

## Compression Anklet



### Indications


ExoAnklet™ compression anklets provide focused therapeutic compression on the foot and ankle for the management of lymphedema and edema. This anklet is designed to provide comfortable and effective therapy, while easily fitting into your everyday footwear.

### Product composition

- Nylon (polyamide), spandex (elastane)
  - ◆ Not made with natural rubber latex.

### Recommended combinations

- ReadyWrap



## ExoAnklet™ Compression anklet

sold in pairs, 18–26 mmHg

Size	Circumference			Length AY <sup>L*</sup>	REF
	A <sup>c</sup>	B <sup>c</sup>	Y <sup>c</sup>		
<b>Regular</b>					
Small	20–24	18–22	27–33	23–26	136805
Medium	22–26	22–26	29.5–35.5		136806
Large	24–28	26–31	32–38		136807
X-Large	26.5–30.5	31–36.5	34.5–40.5		136808
XX-Large	29–33	36.5–41.5	37–43		136809
<b>Long</b>					
Small	20–24	18–22	27–33	26–29	136810
Medium	22–26	22–26	29.5–35.5		136811
Large	24–28	26–31	32–38		136812
X-Large	26.5–30.5	31–36.5	34.5–40.5		136813
XX-Large	29–33	36.5–41.5	37–43		136814

\* AY<sup>L</sup> is from tip of the longest toe to heel.

All measurements in centimeters (cm).

# Product Videos



Debrisoft®



Suprasorb® P sensitive Ag



Suprasorb® A



Rosidal® TCS



Suprasorb® A+Ag



ReadyWrap®

## Sources

1. Bahr, S., Mustafi, N., Hattig, P., Piatkowski, A., Mosti, G., Reimann, K., Abel, M., Dini, V., Restelli, J., Babadagi-Hardt, Z., Abbritti, F., Eberlein, T., Wild, T., Bandl, K., Schmitz, M. (2010), "Clinical efficacy of a new monofilament fibre-containing wound debridement product", Journal of Wound Care, Vol 20 (5) May
2. Haemmerle, G., Duelli, H., Abel, M., Strohal, R. (2011), "The wound debrider: a new monofilament fibre technology", British Journal of Nursing, TV Supplement Vol. 20(6) March
3. Schultz, G. (2015), "Effect of Debrisoft debridement of pseudomonas aeruginosa mature biofilm on pig skin explants", 2015 EWMA Conference, London, GB
4. Barrows, C. (2009). Enhancing Patient Outcomes-Reducing the Bottom Line: The Use of Antimicrobial Soft Silicone Foam Dressing in Home Health. Published in Home Healthcare Now, 27(5), 279-284.
5. Barrett, S. (2009). Mepilex Ag: an antibacterial, absorbent foam dressing with Safetac technology. Published in November 2009 British Journal of Nursing (Mark Allen Publishing) 18(20):S28,S30-6
6. Data on file.
7. White, R. (2008). A multinational survey of the assessment of pain when removing dressings. Published in March 2008 Wounds UK 4(1)
8. Davies, P. McCarty, S. Hamberg, K. (2017), Silver- containing foam dressings with Safetac: a review of the scientific and clinical data, Published Journal of Wound, Vol. 26, No. Sup6a.
9. Ehmann, S., and Bock, K. (Jan. 2018), "Case report to demonstrate the need for selection criteria for optimal adjustable Velcro wrap prescription", The Journal of Advanced Wound Care, North American Supplement, vol. 27, no. 1
10. Cuttino, C., Weir, D. (2016), "Use of a Novel Device for Selective Mechanical Debridement of Chronic Wounds", 2016 SAWC Spring, Atlanta, USA
11. Alridge, P., Brindle, T., D'Mello-Fernandes, V. (2015), "Gentle, Cost-Effective Debridement for All: The Microfiber Debridement Pad", 2015 SAWC Fall, Las Vegas, USA
12. Rangaraj, A. & Harding, K & Leaper, D. (2011). Role of collagen in wound management. Wounds. 7.
13. Karr, J & Taddei, A & Picchiotti, S & Gambellini, G & Fausto, A & Giorgi, F. (2011). A Morphological and Biochemical Analysis Comparative Study of the Collagen Products Biopad, Promogram, Puracol, and Colactive. Advances in skin & wound care. 24. 208-16. 10.1097/01.ASW.0000397897.18003.ce.

VELCRO® is a registered trademark of Velcro BVBA. Zorflex® is a registered trademark of Chemviron.

# WoundNavi

Your digital guide to efficient wound care.

**Assessment and treatment pathways to assist you in effective wound management.**

WoundNavi supports you in selecting the right wound bed preparation/debridement, wound treatment, and compression therapy solutions for your continuum of wound care. WoundNavi is quick, and simple to download, and will help you and your team arrive at the most appropriate treatment decisions for each individual wound care.





People.Health.Care.

Your digital guide to  
efficient wound care.

See page 35



L&R USA INC. · 3880 W Wheelhouse Road, Milwaukee, WI 53208 USA  
855-892-4140 · Fax: 414-892-4150 · [inquiries@us.LRmed.com](mailto:inquiries@us.LRmed.com)