

# **Aseptico**<sup>®</sup>

## 2018 PRODUCT CATALOG



IMPLANT • ENDO • SURGERY • PORTABLE • ANESTHESIA

# NEW Penguin<sup>RFA</sup> Implant Stability Instrument

## Remove Doubt

Introducing the Penguin<sup>RFA</sup>, the affordable solution for Implant Stability Quotient (ISQ) measurement. Developed by the same team who brought Resonance Frequency Analysis (RFA) to dentistry, the Penguin<sup>RFA</sup> delivers accurate results using reusable, calibrated MultiTiegs.

### Clinical benefits include:


- Accurate ISQ measurement provides greater confidence of when to load the implant
- Cordless, light-weight, and very easy to use
- About half the price of competing ISQ devices
- Two-year warranty, Made in Sweden

MultiTiegs are calibrated to individual implant brands and sizes. In some cases, MultiTiegs may be used across different brands for an even better return on investment. Call Aseptico or consult the online MultiTiegs list to order the correct MultiTiegs for your implants.

Penguin<sup>RFA</sup> RFA-55002-Multi ..... \$1,990  
Penguin MultiTiegs RFA-550\* ..... \$32

*\*Visit [aseptico.com/penguin](http://aseptico.com/penguin) for MultiTiegs compatibility*

Install the MultiTiegs™ into the implant and the measurement is made in seconds.



*"The Penguin RFA is fast, easy and predictable to use when checking the stability of a dental implant. Whether checking the ISQ of an implant at immediate placement following an extraction or before definitive restoration impressions, the Penguin RFA is very effective."*

— Ara Nazarian DDS DICOI



**Shown  
Actual  
Size**

Sales: 866.244.2954  
Service: 866.244.7095  
Govt: 425.487.3157



- 4 Implantology
- 10 Oral Surgery
- 16 Endodontics
- 22 Portable
- 38 General Dental
- 46 Warranty & Policies
- 50 Calaject

For over forty years, Aseptico has been a premier manufacturer and distributor of high quality implant, endodontic, and portable dental equipment.

Aseptico dental equipment is developed, manufactured, and sold in-house. Our engineering team designs our products to be regulatory compliant to U.S., Health Canada and international manufacturing and safety standards, allowing us to export to over 125 countries. We build and service our products at our headquarters in Woodinville, Washington, to ensure the reliability you expect from American-made equipment. Buying direct from Aseptico means you are getting the highest quality product at the lowest possible price. We believe these advantages set us apart.

At Aseptico our motto is "Advancing Dental Technology." Since 1975, it has been our steadfast commitment to bring you high quality, innovative products you can depend on.



*"I have really enjoyed my Aseptico AEU-6000. It meets all my surgery needs, from placing implants to removing full bony impacted wisdom teeth.*

*I have found that this unit has more features and better torque than my old W&H... Ever since using the Aseptico product my W&H hasn't seen the light of day."*

— Heath Snell DDS

### 6000 Series Implant Motor

- Recommended for implantology and rotary endodontics
- Places up to 50 Ncm (w/ Mont Blanc handpiece)
- 15-2,000 rpm with 20:1 implant handpiece
- Control water flow, motor direction, torque and presets from the foot pedal
- Reusable, autoclavable irrigation tubing. No more buying costly disposable tubing!
- Console Dimensions: 8.6"W x 9.2"L x 4.8"H (22 x 23 x 12 cm)
- Dual voltage: 100-240V

The AEU-6000 is our best-selling implant motor because of its reliability and affordability. This versatile machine performs standard or mini implants and endo with auto-stop-reverse. It also can be used to back up your restorative and oral surgery systems. No other motor on the market can give you these benefits at such an affordable price.

With upgradeable software, this unit will be a workhorse for many years to come. Autoclavable irrigation tubing means you don't have to buy a new set for each procedure. Five preset buttons can be programmed separately for both implants and endodontics, reducing your procedure time dramatically.

Implant Motor w/ Variable Foot Control <i>AEU-6000-70V</i> . . . . .	\$3,220
Options:	
Carrying Case <i>410205</i> . . . . .	\$640
On/Off Foot Control <i>AE-7PM</i> . . . . .	\$150
Mont Blanc Handpiece <i>AHP-85MB-CX</i> . . . . .	page 8
Replacement Parts	
Micromotor with 6ft cable <i>AE-230M-40</i> . . . . .	\$940
Micromotor with 10ft cable <i>AE-230M-40EXT</i> . . . . .	\$1,060
Variable Speed Foot Control <i>AE-70V2</i> . . . . .	\$525
Irrigation Bag Hanger Rod <i>461541</i> . . . . .	\$45
Power Cord <i>840079</i> . . . . .	\$27
Handpiece Cradle <i>461561-01</i> . . . . .	\$9
Tubing & Accessories . . . . .	page 9



Penguin RFA: pg 2



Handpieces: pg 8



Powered Trolley: pg 15



Package Discounts Available  
Call Today!  
866.244.2954

*"I have used the AEU-7000 for root canals, drilling for implants, leveling bone, augmentation procedures, and wisdom teeth removal. Most importantly, when doing large cases, the last thing you want is your surgical motor not working properly. I always rely on Aseptico motors for consistent reliability and superb performance."*

— Ara Nazarian DDS

## 7000 Series Implant Motor

- Recommended for implantology, oral surgery, and rotary endodontics
- Places up to 80 Ncm (w/ Mont Blanc handpiece)
- Compatible with all implant systems
- Outperforms all competitors
- Dentsply Sirona File Library included
- Console Dimensions: 9.98"W x 9.42"L x 5.1"H (25.4 x 24 x 13 cm)
- Dual voltage: 100-240V

The 7000 series motor is the pinnacle of implant motor technology. Thirty years of motor making experience has culminated in the ultimate surgical device. A multi-function foot pedal allows for complete control of the system while not breaking the sterile field. Autoclavable irrigation tubing saves you hundreds of dollars a year in disposable costs. This motor features upgradeable software, allowing the unit to adapt to new developments in dentistry.

Complete with an advanced calibration system and optional fiber-optic upgrade, the 7000 Implant, Oral Surgery, and Endo System is the perfect motor for the user looking for an advanced all-in-one system.

LED Implant Motor w/ Variable Foot Control AEU-7000L-70V . . . . . \$5,130

Implant Motor w/ Variable Foot Control AEU-7000E-70V . . . . . \$4,580

**Options:**

- Carrying Case 410205 . . . . . \$640
- On/Off Foot Control AE-7PM . . . . . \$150
- Mont Blanc Handpiece AHP-85MB-CX. . . . . page 8

**Replacement Parts:**

- Fiber Optic Micromotor AE-230L-40 . . . . . \$1,040
- Micromotor with 6ft cable AE-230M-40 . . . . . \$940
- Micromotor with 10ft cable AE-230M-40EXT. . . . . \$1,060
- Variable Speed Foot Control AE-70V2 . . . . . \$525
- Calibration Bur 461558 . . . . . \$13
- Irrigation Bag Hanger Rod 461541 . . . . . \$45
- Power Cord 840079 . . . . . \$27
- Handpiece Cradle 461561-01 . . . . . \$9
- Tubing & Accessories. . . . . page 9



Penguin RFA: pg 2



Handpieces: pg 8



Powered Trolley: pg 15

**Package Discounts Available**  
**Call Today!**  
**866.244.2954**





### Mont Blanc Implant Handpiece

- 80 Ncm Maximum Torque
- 20:1 Reducer
- 15 - 2,000 rpm (w/ 40k rpm micromotor)

The Mont Blanc Implant Handpiece is crafted from stainless steel and titanium, making it lightweight and durable. It features smooth surfaces that improve infection control and ensure easy cleaning. Precision ball bearing construction reduces friction to prevent overheating during surgical procedures.

- Fiber Optics & Depth Stop *AHP-85MBFO-CX* . . . . . \$2,120
- Depth Stop *AHP-85MB-CX* . . . . . \$1,650
- No Depth Stop *AHP-85MB-X* . . . . . \$1,590
- Aseptispray Cleaner & Lubricant *AHP-09* . . . . . \$27



### Impulsion Implant Handpiece

- 55 Ncm Maximum Torque
- 20:1 Reducer
- 15 - 2,000 rpm (w/ 40k rpm micromotor)

Rated to a max torque of 50-55 Ncm, the Impulsion Dental Implant Handpiece offers great value. This reliable handpiece uses a sleeve bearing, making it a good handpiece for drilling an osteotomy at an affordable price.

- Impulsion Handpiece *AHP-85P-I* . . . . . \$1,010
- Aseptispray Cleaner & Lubricant *AHP-09* . . . . . \$27



### AseptiSpray™ Handpiece Cleaner & Lubricant

A must for proper handpiece cleaning and maintenance!

- AseptiSpray™ w/ Nozzle (8.8 oz can) *AHP-09* . . . . . \$27
- 3 or more (ea.) . . . . . \$25
- Nozzle only *AHP-09N* . . . . . \$9



### W&H f1 Service Oil Handpiece Cleaner & Lubricant

Synthetic oil of maximum purity, which has been specially developed for maintenance of W&H handpieces. Required by W&H warranty policy.

- Handpiece Spray w/Nozzle (*AHP-10* & *AHP-10N*) . . . . . \$68



### Tubing & Accessories

- Irrigation Tubing Set for IV Bags  
*AE-23 (For AEU-6000 & 7000 series)* . . . . . \$70
- Irrigation Clips (qty: 10) *AHP-03* . . . . . \$17
- Irrigation Pump Tubing Section (qty: 10)  
*AE-23-PUMP* . . . . . \$16
- Mont Blanc  
Complete Depth Gauge *AHP-85MB-CS* . . . . . \$360
- Stop Only *AHP-85MB-STP* . . . . . \$122
- Irrigation Clip *AHP-85MB-CLP* . . . . . \$43
- Y Connector *AE-2MB* . . . . . \$55
- Cannula *AHP-85MB-CAN* . . . . . \$29
- Cannula Clip Set *AHP-07* . . . . . \$19  
*Set includes small clip (AHP-05), large clip (AHP-06), cannula & tubing (AHP-04)*
- Cannula & Tubing *AHP-04* . . . . . \$12
- Small Clip *AHP-05* . . . . . \$6
- Large Clip *AHP-06* . . . . . \$6
- Y Connector *AE-2* . . . . . \$4

### 7000 Series Oral Surgery Motor

- Recommended for oral surgery and implantology
- Designed and manufactured in the U.S.A.
- 4.95 Ncm of torque at 80,000 rpm
- Easy cleaning and maintenance
- Console Dimensions: 9.98"W x 9.42"L x 5.1"H (25.4 x 24 x 13 cm)
- Dual voltage: 100-240V

The 7000 Series Oral Surgery Motor is powerful and efficient, with adjustable torque up to 4.95 Ncm for surgical applications. Smooth surfaces and rounded corners make wipe-down easy and prevent the buildup of dirt and debris.

Paired with a 1:2 Oral Surgery Handpiece, this impaction drill is perfect for third molar extractions, impacted teeth, bone contouring and other surgical procedures. The motor and handpiece quickly disconnect to be easily cycled out between procedures.

Oral Surgery Motor with On/Off Foot Control AEU-7000E . . . . .	\$4,360
Oral Surgery Motor with Variable Foot Control AEU-7000E-70V . . . . .	\$4,580
Options:	
Variable Speed Foot Control AE-70V2 . . . . .	\$525
Carrying Case 410205 . . . . .	\$640
Replacement Parts:	
Micromotor with 6ft cable AE-230M-40 . . . . .	\$940
Micromotor with 10ft cable AE-230M-40EXT. . . . .	\$1,060
On/Off Foot Control AE-7PM . . . . .	\$150
Irrigation Bag Hanger Rod 461541 . . . . .	\$45
Power Cord 840079 . . . . .	\$27
Calibration Bur 461558 . . . . .	\$13
Handpiece Cradle 461561-01 . . . . .	\$9
Tubing & Accessories. . . . .	page 9



"The AEU-7000 with the appropriate handpiece attachment from Aseptico is the workhorse in my practice for doing implant surgery, bone reduction and contouring as well as removing 3rd molars.

It is a must for any practice looking to add these procedures to their practice. In fact, I recommend it to all my doctors that attend the Reconstructive Dentistry Institute."

— Ara Nazarian DDS, DICOI



AHP-79W: pg 13



AHP-77W: pg 13



Penguin RFA: pg 2



Powered Trolley: pg 15

Package Discounts Available  
Call Today!  
866.244.2954

**NEW Design!**  
Takes 45mm Burs



**AHP-64 Straight Surgical**

- 1:1 Slowspeed
- 300 - 40,000 rpm (w/ 40k rpm micromotor)

The AHP-64 Straight Electric Highspeed Surgical Handpiece is ideal for bone contouring, working dentin, adjusting dentures, sectioning enamel and sinus lifts.

Straight Electric Handpiece *AHP-64* . . . . . \$560  
Aseptispray Cleaner & Lubricant *AHP-09* . . . . . \$27



**AHP-77DS Straight Surgical**

- 1:2 increaser
- 600 - 80,000 rpm (w/ 40k rpm micromotor)

The AHP-77DS Straight Electric Highspeed Handpiece is lightweight and compact. The traditional straight design allows for exceptional posterior access. With rotation speeds up to 80,000 rpm, this handpiece is a great option for bone contouring and sectioning teeth.

Straight Electric Handpiece *AHP-77DS* . . . . . \$1,500  
Aseptispray Cleaner & Lubricant *AHP-09* . . . . . \$27



**AHP-79W 45° Surgical**

- 1:2.7 increaser
- 2,700 - 108,000 rpm (w/ 40k rpm micromotor)

The AHP-79W 45° Electric Highspeed Handpiece is ideal for precise tooth separations and apical resections. The 45° head allows for optimum access to the posterior of the mouth. Available in non-fiber optic and self-generating fiber-optic options, this handpiece comes complete with a triple-spray head that guarantees sufficient cooling of the surgical bur and site.

45° Electric Handpiece w/ LED *AHP-79W-FO* . . . . . \$1,762  
45° Electric Handpiece *AHP-79W* . . . . . \$1,464  
W&H Cleaner & Lubricant *AHP-10 & AHP-10N* . . . . . \$68



**AHP-77W 20° Surgical**

- 20° bend for optimum comfort
- 1:2 increaser
- 600 - 80,000 rpm (w/ 40k rpm micromotor)

The AHP-77W 20° Electric Highspeed Handpiece is the oral surgeon's number one choice for third molar extractions. The angled design prevents fatigue by allowing it to rest on the back of the hand. A scratch-resistant surface and reinforced nose bearings guarantee durability, and the sliding lip seal protects the interior from penetration of dirt particles.

20° Electric Handpiece *AHP-77W* . . . . . \$1,703  
W&H Cleaner & Lubricant *AHP-10 & AHP-10N* . . . . . \$68




### Technique Chain & Grid

- 10 sets per box
- 14k gold chain
- 3 grid shapes available

Technique Chain & Grid easily attaches to a pre-emerged tooth, so that an orthodontic device may be used to draw the tooth into proper position. Aseptico is the originator of this remarkable traction system that professionals use worldwide.

Cuspid (qty: 10) AMA-09A	.....	\$295
Bicuspid (qty: 10) AMA-09A2	.....	\$295
Incisor (qty: 10) AMA-09A3	.....	\$295



### Lingual Buttons

- Six per package
- Pre-attached to grid for easy bonding

AMA-09D	.....	\$39
---------	-------	------



**NEW!**  
Larger Size

### Powered Trolleys

- Easily roll dental motors, scalers, lasers, surgical systems or other electrical equipment from operator to operator
- Adjustable height to easily store under a counter: 26.4" to 37.4" (67-95 cm)
- Keeps equipment organized and solves operator space concerns with four shelves
- Storage bin for foot pedals or power strip
- Removable stainless steel trays
- Duplex outlet with coiled AC power cord

Large Size:  
Trays: 15.4" x 11" (39.1 x 27.9 cm)  
Footprint: 19.5" x 19.75" (49.5 x 50.2 cm)

Standard Size:  
Trays: 11.3" x 9" (28.8 x 22.8 cm)  
Footprint: 15.75" x 16.5" (40 x 42 cm)

Large Powered Trolley Cart ATC-15	.....	\$1,095
Standard Powered Trolley Cart ATC-12v2	.....	\$870



*"The AEU-27A is the most versatile, safe and economical motor available anywhere in the world, at any price. That's why I customized the AEU-27A with rpm and torque presets for the MounceFiles in both Controlled Memory and Standard Nickel Titanium. Upgradeable, simple to use, and ergonomic, it sets the standard for electric endodontic motors for many years to come."*

— Richard Mounce DDS  
Mounce Endo



**Endo DTC® Rotary Motor**

- Most sold, most trusted endo motor in America
- Dentsply Sirona File Library included
- Auto-Stop-Reverse functionality

The Endo DTC® (AEU-25) has sold more units in the United States than any other endodontic device. With time-tested reliability and durability, the DTC is your next endodontic solution.

Endo DTC® AEU-25 . . . . . \$1,470

Replacement Parts:

Micromotor AE-4B-30 . . . . . \$590  
On/Off Foot Control AE-7P . . . . . \$110



**Advanced Endo Rotary Motor**

- Lighter handheld motor
- Upgradeable software
- Weighted omnidirectional foot pedal
- Includes all features of America's most popular endo motor, The Endo DTC®

The AEU-27A Endo Motor brings all of the features of our legacy endo motors into a lighter, sleeker design. Includes a weighted, omnidirectional foot pedal, and lightweight micromotor.

Endo Motor AEU-27A . . . . . \$1,595

Replacement Parts:

Micromotor AE-250-30 . . . . . \$515  
On/Off Foot Control AE-7PM . . . . . \$150





**Anthogyr MicroNiTi Endodontic Handpieces**

- Available in push button or swing latch
- Speed range (w/ 30k rpm micromotor):  
16:1 — 20 to 1,800 rpm  
8:1 — 40 to 3,600 rpm

Anthogyr’s MicroNiTi series of endodontic handpieces are synonymous with quality. They provide unrivaled accuracy, whether with a rotary or reciprocating motor. The small head size allows for great access and line of sight during procedures. Made for nickel-titanium endodontic files, the MicroNiTi is compatible with all ISO rotary endo files.

Push Button	
16:1 AHP-62MNP . . . . .	\$740
8:1 AHP-88MNP . . . . .	\$630
Swing Latch	
16:1 AHP-62MN . . . . .	\$690
8:1 AHP-88MN . . . . .	\$550
Aseptispray Cleaner & Lubricant AHP-09 . . . . .	\$27



**AHP-72S-FO Restorative Electric Highspeed**

- Internal irrigation
- 1:5 Increaser
- Fiber optics
- Max 200,000 rpm (w/ 40k rpm micromotor)
- Perfect for highspeed dentistry with your electric operative motor

The AHP-72S-FO Restorative Electric Highspeed Handpiece is strong yet quiet. Built-in fiber optics work with any fiber optic motor. Targeted irrigation helps cool the site and lower temperatures at the bur tip. Upgrading your operatory to electric handpieces is easy with this handpiece’s intuitive, ergonomic design.

1:5 Highspeed AHP-72S-FO . . . . .	\$1,219
Aseptispray Cleaner & Lubricant AHP-09 . . . . .	\$27



**AHP-65Ti Restorative Electric Highspeed**

- External irrigation
- 1:3 Increaser
- Optional fiber optics
- Max 120,000 rpm (w/ 40k rpm micromotor)
- Perfect for highspeed dentistry with your implant/surgical motor

With an external irrigation port and 1:3 increaser gearing, the AHP-65Ti Restorative Electric Highspeed Handpiece makes any surgical motor with irrigation into a restorative powerhouse. Ergonomic and lightweight design allows for optimum comfort during your procedure.

1:3 Highspeed w/ Fiber Optics AHP-65TI-FO . . . . .	\$1,299
1:3 Highspeed AHP-65TI . . . . .	\$999
Aseptispray Cleaner & Lubricant AHP-09 . . . . .	\$27



**Rubber Dam Punch**

Ainsworth Style Punch I-18 .....\$140



**Rubber Dam Forceps**

Ivory Style Forceps I-13.....\$90



**Rubber Dam Punch**

Ivory Style Punch I-19.....\$180

- Best for HandiDam®



**Rubber Dam Forceps**

University of Washington Style Forceps I-14.....\$120



**K-1**  
For roots, with deep festooned beaks



**K-2**  
For lower bicuspids, with flat beaks



**K-2A**  
Similar to K-2, but with large beaks



**K-5**  
For lower molars



**K-7**  
For lower molars, with flat beaks



**K-8A**  
For lower molars, with strong festooned beaks



**K-9**  
Most popular anterior clamps



**K-14**  
For half erupted molars



**K-26**  
For upper molars, especially for erupted tooth



**K-211**  
Universal for labial cavities on anteriors

**Rubber Dam Clamps**

Shown above are our 10 most popular clamps. Please visit [www.aseptico.com/clamps](http://www.aseptico.com/clamps) for our full selection.

Rubber Dam Clamps (each) ..... \$12  
 Rubber Dam Clamps (qty: 10) ..... \$100

"As a pediatric dentist, I believe that all children must be treated with a rubber dam to eliminate the possibility of aspiration of any foreign object, to maintain a dry field of operation, and to protect the child from any incidental soft tissue trauma.

I highly recommend Aseptico HandiDam as its fabrication from high-quality materials enhances patient safety, provides easy and quick operator placement, and offers patients a higher degree of comfort."

— Marc Feder DMD



**HandiDam® Pre-Framed Rubber Dam**

- Pre-framed, flexible design facilitates access to the oral cavity for suction, X-ray films, or digital X-ray sensors
- Superior elasticity & tear-resistance
- Saves time—eliminate the need to remove and replace traditional dam during the procedure
- Ergonomic and comfortable for greater patient acceptance
- Meets FDA Powder-Free standard
- Extremely low protein content reduces patient irritation (<50 micrograms)
- Available in Latex (blue medium) or Latex-Free (mauve heavy)

Latex  
 (qty: 20) I-70BM. .... \$34  
 (qty: 100) I-70BM-100 ..... \$130

Latex-Free  
 (qty: 20) I-70LF ..... \$49  
 (qty:100) I-70LF-100 ..... \$225



Photo courtesy of  
CareFIRST Carolina Foundation

*"The reliability, ease of use and portability of the AMC-20 Aseptico dental carts make this the perfect unit for community clinic outreach."*

*Our portable program using the Aseptico units has seen over 424 adult patients with 362 extractions, 255 fillings (1-4 surfaces), 182 cleanings. The dental carts are also used in the area schools doing holistic dentistry, and over 2,200 children were seen in the 2016-17 school year.*

*We now have 8 units and love them all."*

— Mark Sobiski  
CareFIRST Carolina Foundation



Photos courtesy of  
Global Dental Relief  
Cambodia 2017

### Transport III Portable Dental System

- High torque electric motor with restorative and endodontic programs
- Fiber optic electric handpiece connection
- High volume evacuator
- Saliva ejector
- Quiet, intuitive, powerful
- Built-in maintenance free compressor
- Water port for cavitron/scaler
- Dual voltage
- Optional fiber optic scaler
- 57-63 lb (25.8-28.6 kg)
- 17.9" x 10.4" x 22.1" (45.5 x 26.4 x 56.1 cm)

The Transport III is Aseptico's premium portable dental system. Features include noise reduction technology, an intuitive user interface, and 40k rpm brushless autoclavable micromotor. It is easy to set up, operate, and tear down. All components fit neatly into the impact resistant carrying case with wheels.

Delivery module and user interface panel mount externally on a secure handle, placing controls and instruments at a comfortable level.

Dual level fluid sensors alert the user when the waste tank is 85% full for better procedure planning. The transport 3 will then shut off the compressor before the tank exceeds capacity. The externally mounted waste container means faster and cleaner waste disposal.

Transport III w/ Scaler AEU-525S . . . . .	\$9,530
Transport III w/o Scaler AEU-525 . . . . .	\$8,190

Replacement Parts:

Micromotor AE-240SC-40 . . . . .	\$940
Waste Tank Assembly 330603 . . . . .	\$514
On/Off Foot Control AE-7PM . . . . .	\$150
Power Cord 840049 . . . . .	\$50
Water Reservoir (white) 730657 . . . . .	\$13

Replacement Scaler Tips For AEU-525S Only:

Slim Universal ASC-10-PE38 . . . . .	\$158
Thin Subgingival ASC-10-PE37 . . . . .	\$136
Power Universal ASC-10-PE39 . . . . .	\$117



Shown with optional scaler (Handpieces sold separately)



AHP-72S-FO: pg 19



AHP-64: pg 12

### Express Portable Dental System

- Available with one or two air handpiece connections
- High volume evacuator
- Saliva ejector
- Built-in maintenance free compressor
- Water port for cavitron/scaler
- 1 gallon waste container
- 110V or 220V switchable voltage
- 44-48 lb (20-21.8 kg)
- 10.5" x 14.5" x 24" (27 x 36 x 61 cm)

Aseptico's most popular portable unit, the Express is a fully self-contained, lightweight, portable dental system. This powerful unit features up to two air-driven handpiece connections, high volume and saliva ejector suction, internal water reservoir, three-way syringe, and integrated air compressor. Foot control options include on/off electric or variable rheostat. The Express is transported using a pullout handle and built-in wheel assembly. Its compact size allows for convenient storage, while the impact-resistant case makes the Express ideal for any field environment. Designed for global use, the Express is compatible with 110V or 220V power sources.

Two Handpiece Connections ADU-17A2 or ADU-17X2 . . . . .	\$4,850
One Handpiece Connection ADU-17A or ADU-17X . . . . .	\$4,650
Fiber Optic Upgrade Kits:	
5-hole: AA-19LED-04 . . . . .	\$570
6-pin: AA-19A-06 . . . . .	\$570

Visit [aseptico.com](http://aseptico.com) for videos showing side-by-side comparisons with competitors.



*"The ADU-17 is proving to be everything we hoped for in a mobile dental unit. Easy to start, easy to run and simple to maintain. It is also being used in our main clinic and shared between two chairs which before had no fixed delivery system."*

*The size and weight are very manageable and this model provides everything a dentist or hygienist could need in any setting."*

— Marion Bailey DMD



(Handpieces sold separately)



AHP-55: pg 32



AHP-101: pg 32

*"I have used the Aseptico Taskforce Deluxe in 25 developing countries on dental missions. The unit is lightweight, and has always functioned well with minimal power requirements. I have recommended its use to many needing a lightweight, reliable dental operating unit."*

— Robert Meyer DMD  
Christian Dental Society

### Taskforce Portable Dental System

- Lightweight and easy to carry
- Two air handpiece connections
- Powerful saliva ejector vacuum
- Built-in maintenance free compressor
- Water port for cavitron/scaler
- 110V or 220V switchable voltage
- 32.6 lb (14.8 kg)
- 12.5" x 17.5" x 7.5" (31.8 x 44.5 x 19.1 cm)

The most compact pneumatic portable dental system, the Taskforce represents the best value on the market. At 32.6 pounds the Taskforce is easily carried from location to location. This unit includes two air-driven handpiece connections (highspeed/slow-speed), low volume suction, and air water syringe, making it the ideal system for mobile hygiene. Simple and easy to use, the Taskforce can be set up or put away in just minutes.

Taskforce ADU-12DCE . . . . .	\$3,350
Optional Accessories	
Handpiece Extension Arm AA-12A . . . . .	\$65
Stainless Steel Cuspidor with Solids Trap 5" (12.7mm) diameter for convenient expression during treatment AA-26SS . . . . .	\$33
High Volume Tip Adapter Enables use of standard 11mm high volume tips for greater air flow AA-12HVE . . . . .	\$26
Fiber Optic Upgrade Kits:	
5-hole: AA-19LED-04 . . . . .	\$570
6-pin: AA-19A-06 . . . . .	\$570
Replacement Parts:	
Lid Standoff Bracket AA-12CSB . . . . .	\$40

**NEW!**  
Rugged Case



(Handpieces sold separately)



AHP-55: pg 32



AHP-101: pg 32



*"We now own close to 50 Aseptico units, and we remain your biggest fans. They are exceptional in their durability – we have owned many for more than 10 years at this point."*

– Laurie Mathews  
Global Dental Relief

### Lightweight Portable Delivery System

- NEW Compact Design & Case
- Two air handpiece connections
- 3-way air/water syringe
- 25 ft. air line to connect to any air source
- Instrument tray
- Padded carrying case
- 17 lb (7.7 kg)
- Carrying case: 25" x 11.5" x 11.5" (63.5 x 29 x 29cm)

2 Handpiece Lines + HVE & Saliva Ejector ADU-04ST, AA-21ST & AA-25ST . . . . .	\$2,635
2 Handpiece Lines + HVE ADU-04ST & AA-21ST . . . . .	\$2,085
2 Handpiece Lines + Saliva Ejector ADU-04ST & AA-25ST . . . . .	\$2,045
2 Handpiece Lines (No Suction) ADU-04ST . . . . .	\$1,495
HVE or Saliva Ejector (Suction Only) ADU-03ST . . . . .	\$1,695
Fiber Optics Upgrade Kit	
5-hole: AA-19LED-04 . . . . .	\$570
6-pin: AA-19A-06 . . . . .	\$570

### Portable Compressor

- 1 HP maintenance free motor
- Built-in wheels & pull handle
- 46 lb (20.9 kg)
- 18" x 22" x 10.5" (45.7 x 55.9 x 26.7 cm)

110V Compressor AA-100-110 . . . . .	\$1,795
220V Compressor AA-100-220 . . . . .	\$1,795



AHP-55: pg 32



AHP-101: pg 32

**NEW!**  
Compact Design  
& Smaller Case





**Air-Drive Highspeed Handpiece**

- Highspeed Air Handpiece (4-hole)
- Recommended for Taskforce & Express series

AHP-55 .....\$380



AHP-50 AHP-101

**Air-Drive Lowspeed Handpiece**

- Lowspeed Air Motor (4-hole) & 1:1 Straight Handpiece
- Adapts air turbine to accept E-style handpieces with post for Doriot-style attachment

AHP-50 .....\$390

AHP-101 .....\$320



**Portable LED Light**

- Adjustable LED with seven beam diameters
- Durable construction
- Includes padded carrying case
- Optional Amber filter for working with composites
- 12 lb (5.4 kg)
- Padded carrying case: 45" x 9" x 5.5" (114.5 x 23 x 14 cm)

Portable LED Light ALU-40LED ..... \$1,195

Optional Amber UV Filter 461974 ..... \$2

Replacement Parts:

Gray Padded Carrying Case 410084 ..... \$145





### Portable Sterilizer

- Compact and portable
- 18 minute sterilization cycle (24 minute total cycle time)
- Only 6 minutes to reach sterilization temp
- Temperature: 250°F (121°C)
- 11.5 lb (5.2 kg)
- 9 liter capacity

110V Sterilizer ASU-12-110 . . . . .	\$1,230
230V Sterilizer ASU-12-230 . . . . .	\$1,230



### Portable Saliva Ejector

- Great for mobile dentistry or as a backup for sedation dentistry
- Powered by rechargeable battery pack, wall outlet or 12 VDC vehicle source
- Battery operating time: Up to 60 minutes on a single charge
- 800cc waste canister with float shut-off
- 6.3 lb (2.9 kg)
- 9" x 7" x 8" (22.8 x 17.8 x 20 cm)

Portable Saliva Ejector AA-20 . . . . .	\$460
Replacement 800 ml Canister AA-20CAN. . . . .	\$31
Bacteria Filters (qty: 12) AA-20BF-2. . . . .	\$11

*"Aseptico makes the smallest, lightest weight, most efficient equipment I have ever utilized. We traveled to the Mississippi Gulf Coast following Hurricane Katrina. We treated children from New Orleans & the Mississippi Gulf Coast using Aseptico equipment. It functioned without problems in an extreme environment."*

— Richard L. Smith DMD



### AseptiChair

- Sturdy, high-strength steel construction
- Lightweight, only 30 lb (13.5 kg)
- 300 lb weight capacity
- Back rest adjusts from fully upright to supine
- Price includes padded case, arm slings, and headrest cushion –no hidden charges and no loose parts to misplace!
- Adjustable seat height: 11" - 22" (11 x 55.9 cm)
- Padded carrying case: 23" x 34" x 8" (58 x 86 x 20.3 cm)

AseptiChair ADC-01 ..... \$1,690  
Replacement Padded Carrying Case 410193.....\$230

### Hydraulic AseptiChair

- Foot actuated controls
- Adjustable with patient in chair
- 300 lb weight capacity
- No external power required
- Wheels for easy mobility
- 69 lb (31.3 kg)
- Hydraulic adjustable seat height: 11" - 33" (27.9 x 83.8 cm)
- Folded dimensions: 33" x 22" x 18" (83.8 x 55.9 x 45.7 cm)

Hydraulic AseptiChair ADC-02 ..... \$6,275

### Hydraulic AseptiStool

- Easy set-up and storage
- Includes padded case
- Hydraulic adjustable height: 18" - 25.5" (45.7 - 64.8 cm)
- 19 lb (8.6 kg)
- Padded carrying case: 26" x 26" x 11" (56 x 56 x 28 cm)

Hydraulic AseptiStool ADC-10 .....\$895  
Replacement Padded Carrying Case 410213.....\$145

### AseptiStool

- Easy set-up and storage
- Includes padded case – no loose parts to misplace!
- Adjustable seat height: 19" - 22" (48.3 - 55.9 cm)
- 15 lb (6.75 kg)
- Padded carrying case: 18" x 22" x 8" (48 x 53 x 23 cm)

AseptiStool ADC-08 .....\$695  
Replacement Padded Carrying Case 410093.....\$130

**Chairs & Stools Available  
in Red, Gray & Blue**



### AMC-25 Self-Contained Mobile Operator

- **NEW AMC-25 Features**
  - Quiet dual compressor design
  - Reduced energy use
- No plumbing required
- Fully self-contained dental cart with built-in air compressor
- Unique pivoting control arms & easy-grip side handles
- Two automatic highspeed air handpiece connections
- One automatic lowspeed handpiece connection
- High & low volume suction with automatic overflow protection and solids trap
- Runs on standard 110V or 220V outlet
- Operating pressure: 80 psi
- Weight: 167 lb (75.8 kg)
- Dimensions: 26.8" x 22.5" x 35.1" (68 x 57.2 x 89.3 cm)
- High Volume Vacuum: 8.5 SCFM @ 0" Hg, 6.8CFM @ 4" Hg
- Waste Tank Capacity: 1.08 gal (4.08 L)

This fully self-contained mobile operator is ideal for new or expanding practices. The AMC-25 is regulatory certified to US, Canadian, and European safety standards. Easy mobility allows use at work sites, nursing homes, hospitals, etc. Many optional accessories make customizing for your needs easy.

Mobile Operator AMC-25 . . . . .	\$10,995
Options:	
Integrated Electric Motor 330674 . . . . .	\$1,750
Curing Light AA-25CLM-CK . . . . .	\$1,390
2 Fiber Optic HP Connections	
5-hole (ISO-B) AA-19LED-25CK5 . . . . .	\$1,175
6-pin (ISO-C) AA-19A-25CK . . . . .	\$1,175
Piezo Scaler ASC-10-25CKL . . . . .	\$1,500
Amalgam Separator AA-20AMAL-CK . . . . .	\$745
Height Adjustable Pivoting Tray AA-20A . . . . .	\$445
Hospital Kit (external air, water & vac connections) AA-25HK . . . . .	\$1,050
Recommended Handpieces:	
Electric . . . . .	page 19
Air-Driven . . . . .	page 32
Replacement Parts:	
Micromotor AE-240SC-40 . . . . .	\$940
Disc Foot Control w/ Water Toggle AA-43W . . . . .	\$130
Air/Water Syringe TA-90D . . . . .	\$75
1L Water Reservoir – Clear 730631-01 . . . . .	\$60
1L Water Bottle – Opaque (each) 730471 . . . . .	\$12
Solids Trap Filter AA-290VS . . . . .	\$1

*"I first discovered the AMC-20 when I was looking for mobile equipment for my new Urgent Dental Care Practice. I did not want the extra expense of [installing] lines and plumbing for a full compressor and vacuum.*

*These units are user-friendly and self-contained. I was so confident about the quality of this dental unit, I had my military unit order one for our Dental Readiness and Mobility mission."*

— Robert Byrd DDS

**NEW!**  
Improved  
Operation



(Handpieces sold separately)



### Compricart II Delivery System

- Two air handpiece connections
- High volume evacuator
- Saliva ejector
- Stainless steel instrument tray
- Two liter self-contained water bottle

Roll the Compricart II Mobile Dental Cart from room to room with ease! Great for hospitals and expanding dental offices, the simple controls of the Compricart II make operation stress-free. A compact design, ample work surface, stainless steel instrument tray, integrated water supply, and venturi suction (high volume and saliva ejector) round out the features of this versatile platform. Just connect to an air source – no central vacuum required! Including the optional AWS-1C allows an external scaler to use the cart's water supply.

Compricart II ADU-20B . . . . .	\$2,595
Water Connection for External Scalers AWS-1C . . . . .	\$85
Recommended Handpieces. . . . .	page 32
Fiber Optic Upgrade Kits:	
5-hole - AA-19LED-04 . . . . .	\$570
6-pin - AA-19A-06 . . . . .	\$570
Replacement Parts	
Complete HVE 330461 . . . . .	\$520
Disc Foot Control w/ Water Toggle AA-43W . . . . .	\$130
Air/Water Syringe TA-90D . . . . .	\$75
2L Water Bottle 730665 . . . . .	\$17



AEU-25: pg 16



AEU-5000: pg 43





AHP-72S-FO: pg 19



AHP-64: pg 12



Water system sold separately



### Manual Air Control System

- Ideal for arm or wall mounting
- 3-way air/water syringe
- Variable rheostat
- Requires connection to air and water sources

Two-Handpiece Control System ADU-04 . . . . .	\$490
Clean Water System with 1 Liter Bottle NWS-7i (installed) . . . . .	\$95
Replacement Parts:	
Disc Foot Control AA-42 . . . . .	\$112
Air/Water Syringe TA-90D . . . . .	\$75
1L Water Bottle (for NWS-7i) 730471 . . . . .	\$12
Autoclavable Tips For Air/Water Syringe TA-1 . . . . .	\$8

### Automated Air System

- Flat-top design for mounting into cabinets
- 3-way air/water syringe
- Water on/off and flow adjustment for highspeed handpiece
- Variable rheostat with coolant on/off control
- Requires connection to air and water sources

Triple Handpiece With Automatic Selection ADU-07A . . . . .	\$870
Replacement Parts:	
Disc Foot Control w/ Water Toggle AA-43W . . . . .	\$130
Air/Water Syringe TA-90D . . . . .	\$75
Autoclavable Tips For Air/Water Syringe TA-1 . . . . .	\$8



### AEU-5000 Electric Operative Motor

- Attach to your air-driven high speed connection and use your own rheostat
- Electrical option for faster and quieter restorative procedures
- Up to 200,000 rpm with high speed handpiece
- Powerful, high torque electric motor
- Intuitive design and operation
- Endo mode with auto-stop-reverse torque setting

Electric Operative Motor AEU-5000 . . . . .	\$1,550
Adjustable Mounting Bracket 330569 . . . . .	\$60
Replacement Micromotor AE-240-40 . . . . .	\$940





### Heavy Duty Lab Motor

- For heavy acrylic use
- Powerful one piece handpiece
- 35k rpm micromotor
- Console with adjustable speed and direction
- Available in 110V or 220V
- Includes AE-7P On/Off Footswitch

Heavy Duty Lab Motor <i>AEU-16C-115</i> .....	\$905
Optional Variable Speed Foot Control <i>AE-14A</i> .....	\$290
Replacement Parts:	
Micromotor/Handpiece <i>AE-5L-32</i> .....	\$395
On/Off Foot Switch <i>AE-7P</i> .....	\$110



### Versatile Lab Motor

- For light to medium acrylic use & slow speed prophy
- Versatile E-type connection with straight handpiece
- 32k rpm micromotor
- Console with adjustable speed and direction
- Available in 110V or 220V
- Includes AE-7P On/Off Footswitch

Medium Duty Lab Motor <i>AEU-12C-130</i> .....	\$1,125
Optional Variable Speed Foot Control <i>AE-14A</i> .....	\$290
Replacement Parts:	
1:1 Handpiece <i>AHP-64</i> .....	\$560
Micromotor <i>AE-5C-30</i> .....	\$280
On/Off Foot Switch <i>AE-7P</i> .....	\$110



### Battery Powered Portable Lab Motor

- Versatile E-type connection with straight handpiece
- 22k rpm micromotor
- Console with adjustable speed and direction
- Dual voltage
- Available in black, pink, or white
- Includes a high torque motor, handpiece, and long-lasting Li-ion battery.

Portable Lab Motor <i>AEU-03M1B, AEU-03M1W, or AEU-03M1P</i> .....	\$610
Replacement Parts:	
1:1 Handpiece <i>AHP-101</i> .....	\$320
Micromotor <i>AE-5M1-25</i> .....	\$145
Footswitch <i>AE-7M1</i> .....	\$18



Available in  
Black, White & Pink



# Customer Service

## 866.244.7095



### Warranty

Aseptico warrants its products against defects in material or workmanship for a period of two (2) years, from date of original invoice. This warranty is not transferrable. Some handpieces are warranted for one year under the same conditions. Other handpieces and expendable components, such as air turbines and light bulbs, are covered by shorter warranty periods, or have no warranty. Aseptico's sole obligation under product warranty is (at its sole option and discretion) to repair or replace any defective component or product in part or whole. Aseptico shall be the sole arbiter of such action.

In the event of alleged defect under warranty, the purchaser is to notify Aseptico's Customer Service Department promptly. Customer Service will provide instructions, usually directing that the product be returned for service. Shipment to Aseptico and the cost thereof is always the responsibility of the purchaser.

Accidental misuse, inappropriate installation, or failure to perform directed maintenance voids the warranty.

Aseptico does not assume, under this warranty, any risks or liabilities arising from the clinical use of its products, whether or not such use involves coincidental utilization of products manufactured by others. Deliberately defacing, modifying, or removing the serial number voids the warranty.

**NOTE:** In the interest of serving our customers more efficiently, customers receiving service on non-warranted repairs are expected to accept charges that are less than \$450 without further notification.

### Quality System

Aseptico's Quality Management System is certified for full quality assurance by the Conformity Assessment Body British Standards Institution (BSI) under the Medical Device Directive 93/42/EEC Annex II.3, according to ISO 13485, and also under the Canadian Medical Device Conformity Assessment System (CMDCAS).

### Ordering policy

- Aseptico accepts Visa, MasterCard, Discover, and American Express.
- Open account is available only if credit is approved in advance.
- Freight costs are added to all invoices.
- All orders are shipped FOB origin.
- Delinquent accounts are subject to 1.5% monthly interest, attorney's fees, collection and court costs when needed to satisfy debt.
- Prices subject to change without notice.
- Service and Repair charges are billed on credit card. Customer is expected to accept charges up to \$550 without advance notification. Minimum service/repair charge is \$125.
- Please visit: [aseptico.com/support/warranty-policies](http://aseptico.com/support/warranty-policies) for additional warranty and repair policy information.

### Sales Tax

Aseptico uses a tax service (Avalara) to calculate and apply state sales tax to invoices for all states that Aseptico is registered to collect/remit sales tax. We reserve the right to register in additional states at any time and begin collecting/remitting sales tax.

The amount of tax charged on your order will depend upon many factors including type of item purchased and destination of the shipment. Factors can change between the time you place an order and the time of invoicing, which could affect the calculation of sales taxes. The amount appearing on your order as sales tax may differ from the sales taxes ultimately charged.

Customer is responsible for any applicable state sales or use taxes not charged by Aseptico.

### Sales Tax Exemptions

Unless Aseptico is in possession of a validated exemption certificate prior to shipment, the customer must pay the entire invoice, including sales tax.

Certificates can be emailed to [AR@aseptico.com](mailto:AR@aseptico.com)

### Return Policy

- Products that have been in clinical use **cannot** be returned for credit.
- All returns require prior authorization. Contact Aseptico Customer Service for a Return Authorization number (RA#).
- The RA# must appear clearly on the exterior of the package being returned or it may be rejected and returned to the sender.
- Packages received without prior authorization are not the responsibility of Aseptico. Aseptico reserves the right to dispose of such packages and their contents 30 days after receipt with no obligation to the sender.
- The sender is responsible for proper packaging and for all costs for return shipment to Aseptico.
- New products may be returned for full credit (*less shipping charges*) under a Return Authorization number within 30 days of date of original invoice.
- At Aseptico's discretion, certain products may be returned for credit after the 30 day period and a 25% restocking fee will apply.

### International Customers

Most Aseptico products are CE-marked and Health Canada licensed. However, customers should verify the status of any specific item(s) with their sales representative or local distributor prior to finalizing the purchase. Please contact your local Aseptico distributor for pricing and availability.

Prices shown in the catalog are in US dollars. If you are unsure of the Aseptico distributor in your country, for specific ordering and payment policies, or for general product inquiries, please contact our International Sales Department at [int@aseptico.com](mailto:int@aseptico.com).



Aseptico, Inc.  
8333 216th St. S.E.  
Woodinville, WA 98072  
PRINTED IN THE USA





## Military Field Equipment

For over 25 years, Aseptico has partnered with the US Armed Forces and militaries around the world to develop the most comprehensive line of portable field equipment in the industry.

For government inquiries  
 email [gov@aseptico.com](mailto:gov@aseptico.com)  
 or call 800.426.5913



AMC-25CF - Mobile Cart  
 Self-contained expeditionary  
 operatory.



ARU-500MD - Nomad MD  
 Hand-held medical field x-ray.



AEU-14CF - Expedition  
 Ultralight solar powered  
 dental unit.



ADC-02CF - Hydraulic Patient Chair  
 Foot actuated hydraulic lift mechanism  
 NSN: 6520-01-652-8993

*"CALAJECT is amazing! It has clear advantages over the device I used to work with. It allows me to do all types of local anesthetics. I avoid waste of anesthetic liquid and cost of disposable hose sets [and] only need the standard needles and cartridges I use for manual anesthesia. It is also easy to clean."*

– Dentist Tina Løbner, DK

## CALAJECT™ - Computer Assisted Local Anesthesia

- **No Disposables**
  - Uses standard dental needles and cartridges
- **Superior Ergonomics**
  - Balanced handpiece weighs less than 2 oz
  - Ergonomic pen-like grip
  - Automated aspiration
  - Unobstructed view of anesthetic carpule throughout the injection
- **Easy Operation**
  - Pre-programmed flow rates for all injection types
  - Small footprint
  - Lithium battery powered

The secret to delivering pain-free injections is a controlled, gentle administration of the anesthetic solution. With a traditional syringe, delivering a single carpule of anesthetic below the pain threshold is a challenging task – much less doing it time after time throughout the day. CALAJECT takes the guess work out of anesthesia delivery by controlling the flow rate, monitoring injection pressure, and providing hands-free aspiration.

Used with standard dental needles and anesthetic carpules, CALAJECT has no single-use components or disposable tubing sets, making it the most economical computer controlled anesthesia system on the market.

CALAJECT utilizes three automated programs that control and optimize anesthetic flow below pain detection levels:

- I. Intraligamentary PDL & Palatal injections
- II. Infiltrations
- III. Regional Nerve Blocks

CALAJECT CAL-2118 . . . . .	\$3,795
Optional Accessories	
CALAJECT 1/8" Jack Mono Cable CAL-51195. . . . .	\$17
Autoclavable Cartridge Barrels (3 pack) CAL-2028. . . . .	\$19
Transport Case CAL-2199 . . . . .	\$140
Replacement Parts:	
Charger CAL-6042SU2 . . . . .	\$80
Foot Control CAL-6042OG1. . . . .	\$450
Handpiece Holder CAL-60555M1 . . . . .	\$150
Handpiece CAL-60060N1. . . . .	\$1,750
Power Cord CAL-5068 . . . . .	\$14

Introducing  
**calaject**

**No Disposables!**



Call 425-408-9334 or visit [aseptico.com/calaject](http://aseptico.com/calaject)



Place Implants With Confidence.



\$6,395

6000 Implant Motor, Handpiece  
& Penguin<sup>RFA</sup> Special

AEU-6000-70V Motor, AHP-85MB-CX Handpiece & RFA-55002-Multi Penguin<sup>RFA</sup>

866.244.2954

aseptico.com